SHASHKIN, Ivan Nikolayevich; KOBRIN, B., redaktor; IGNAT YEVA, A., tekhnicheskiy redaktor


[Strawberries in collective farm orchards] Zemlianika v kolkhoznom sadu. [Moskva] Moskovskii rabochii, 1956. 36 p. (MLRA 9:9) (Strawberries)

SHASHKIN, I.N., kand. sel'skokhoz. nauk

Experiments in remote hybridization of strawberries. Trudy TSGL 6:279-302 '57. (HIRA 12:10)

(Strawberry breeding)

SHASHKIN, K.S.



SHASHKIN, X. A.

"A New Colorimetric Reaction for Gold Ions," Zavodskaya Laboratoriya, Vol. 18, No. 3, p 288, 1952.

SHASHKIN, M. A.:

Shashkin, N. A .:

"The determination of gold in cyanide solutions using activated charcoal."

Min Higher Education USSR. Ural Polytechnic Inst imeni S. M. Kirov. Sverdlovsk, 1956.

(Dissertation For the Degree of Foctor in Sciences).

Cand. Chem. Sci.

Knizhnaya letopis! # 45790 No 34, 1956. Moscow.

AKHVONEN, V.A.; GRENBERG, Ye.I.; GENIS, M.Ya.; FEYGINA, E.M.

ZAKHAROVA, V.S.; KOVALEVA, R.A.; ZALEVSKAYA, T.N. SHASHKIN.

KOVALENKO, P.N.; ZAK, A.G.; AKHMETOVA, S.A.; MOSTRYUKOV,

P.M.; VEYSEYSKAYA, H.D.

Brief reports. Zav.lab. 23 no.7:801-802 '57. (MLRA 10:8)

1.Institut geologii rudnykh mesteroshdeniy, petregrafii, mineralegii i geokhimii AN SSSR (for Akhvonen) 2.Dneprepetrevskiy Truboprckatnyy zavod imeni V.I. Lenina (fer Grenberg, Genis) 3. Angarskiy rementnomekhanicheskiy zavod (fer Shashkin) 4.Restevskiy gosudarstvennyy universitet (for Kevalenko) 5. Karagandinskiy zavod sinteticheskego kauchuka (for Zak, Akhmetova, Mostryukev, Veyseyskaya).

(Chemistry, Analytic)

SHASHKIN M.A.

Quantitative determination of gold in cyanide electrolytes. Zav.lab. 27 no.2:145-146 *61. (MIRA 14:3)

1. Angarskiy remontno-mekhanicheskiy zavod. (Gold--Analysis) (Cyanides)

BRAY, I., inzh.; SHASHKIN, P., inzh.

Regeneration of used oils. Avt.transp. 41 no.4:29-32 Ap 163. (MIRA 16:5)


1. Vsesoyuznaya kontora Vsesoyuznogo tresta po regeneratsii otrabotannykh neftyanykh masel Glavneftesbyta Ministerstva neftyanoy promyshlennosti SSSR.

(Gas and oil engines—Lubrication)

SHASHKIN, P.; BRAY, I.

Reclamation of used oils. Avt. transp. 43 no.2:15-17 F '65.
(MIRA 18:6)

1. Vsesoyuznaya kontora po regeneratsii otrabotannykh neftyanykh masel.




Regeneration of waste petroleum oils; brief guide for the operator) Moskva, Gostoptekhizdat, 1952.
110 p. illus., tables
"Literatura": p. 109
At head of title: Russia. Ministerstvo Neftyanoy Promyshlennosti.

SO: N/5
735.6
.55

SHASHKIN, P. I.

[Collecting and storing waste oils] Sbor i khranenie otrabotannykh masel. Moskva, Gostoptekhizdat, 1955. 29 p. (MLRA 8:12) (Automobiles-Lubrication)



SHASHKIN, P.1

25(5)

p.4

PHASE I BOOK EXPLOITATION

sov/1359

- Spravochnik mekhanika mashinostroitel'nogo zavoda v dvukh tomakh. t. 1: Organizatsiya i konstruktorskaya podgotovka remontnykh rabot (Handbook for Mechanics of Machinery Manufacturing Plants in Two Volumes. Vol.1: Organization and Design-Preparation for Repair Work) Moscow, Mashgiz, 1958. viii, 767 p. 40,000 copies printed.
- Resp. Ed.: Noskin, R.A.; Candidate of Technical Sciences; Ed.: Gliner, B.M., Engineer; Tech. Ed.: Sokolova, T.F.; Eds. of Set: Borisov, Yu.S., Engineer, A.P. Vladziyevskiy, Doctor of Technical Sciences, and R.A. Noskin, Candidate of Technical Sciences; Managing Ed. for Reference Literature (Mashgiz): Krylov, V.I., Engineer.
- PURPOSE: This handbook is intended for personnel responsible for repair and maintenance operations in machinery manufacturing plants.
- COVERAGE: The handbook contains information on the operation of industrial equipment, organization of repair and maintenance, design-preparation for maintenance work, modernization of metal-cutting machine tools, and the economics of maintenance. Maintenance personnel of the following plants participated in the preparation of this handbook: Leningrad Plant imeni Kirov, Khar'kov Plant

Card 1/13

Handbook for Mechanics of Machinery (Cont.)

sov/1359

for Transport Machinery imeni Malyshev, Moscow Plant imeni Likhachev, Chelyabinsk Tractor Plant, etc. Contributions by the following are also acknowledged: workers of scientific research institutes (ENIMS, TSNIITMASH, NITI) and vtuzes (MVTU imeni Bauman, Leningrad Polytechnical Institute, Moscow Institute for Engineering Physics, Moscow Industrial Engineering Institute); and workers in engineering and planning institutes (VPTI b. MINTRANSMASH, VPTI b. MINTYAZHMASH, GSPI-8). There are no references.

TABLE OF CONTENTS:

·	_
Ch. L. Utilization of Equipment	1
	2
Traceasing the durability of equipment (Mana, 1977)	2
Besic kinds of machine part wear	3
Initial breaking-in of machine parts Wear of basic machine parts and measures taken to increase their	4
resistance to wear Operation of forging and pressing equipment (Ginzburg, Z.M., Engineer)	11 11
Drop hammers	13
Forging machines	14
Crank presses and shears	14
Steam-hydraulic presses	

Card 2/13

Operation of electric installations (Luk'yanov, T.P., Engineer)	15
Intrashop electric networks with voltages to 1000 v	15
Electric motors	16
Electric furnace installations	22
	23
Mercury rectifiers	24
Installations for electric plating	- 4
Special features of calculating electric energy requirements	24
from d-c sources for electroplating	
Arc welding units	24
Resistance welding machines	25
Lighting installations	25
Grounding systems and the grounding system neutral	27
Blectric meters	27
Lubrication of equipment (Ostroumov, G.A., Engineer)	32
Lubricants	32
Lubricating systems, devices and implements	37
Choice of lubricants	1414
Substitution of lubricants	49
Organizing lubrication operations	50

._____

Handbook for Mechanics of Machinery (Cont.) SOV/1359	
Regeneration of used lubricating oils (Shashkin, P.I., Engineer) Preservation of idle equipment and parts (Borisov, Yu.S., Engineer) Storing idle equipment and parts Protection Crating	53 68 69 70 74
Duties and instructions for mechanics (Borisov, Yu.S., Engineer) Typical description of the duties of a chief mechanic in a machinery manufacturing plant	76
Typical description of duties of a shop mechanic in a machinery manufacturing plant	82
Typical description of duties of shop personnel in reference to working equipment and responsibilities for its technical condition Typical description for machine tool operators on the technical	85
operation of metal-cutting machine tools and their care Qualification requirements	87 98
Ch. II. Organizing Preventive Maintenance of Equipment Preventive maintenance system (Vladziyevskiy, A.P., Doctor of Technical Sciences; Vaks, D.I., Engineer; Yakobson, M.O., Doctor	124
of Technical Sciences) Card 4/13	124

Handbook for Mechanics of Machinery (Cont.) SOV/1359	
Types of maintenance Periodicity of maintenance and structure of the maintenance cycle Labor input into maintenance operations Planning maintenance operations Preparation for maintenance operations (Vladziyevskiy, A.P., Doctor of Technical Sciences; Vaks, D.I., Engineer; Yakobson, M.O., Doctor of	124 126 129 130
Spare parts Development of technological processes for maintenance operations Supplying tools and devices Supplying materials Organizing maintenance operations (Vladziyevskiy, A.P., Doctor of Technical Sciences; Vaks, D.I., Engineer; Yakobson, M.O., Doctor of	130 130 132 132 132
Technical Sciences) Organizational methods for maintenance operations Shop maintenance bases Organization of maintenance crews Measures for speeding maintenance operations and reducing the	132 132 133 133
downtime of equipment Classification of defects Procedure in transferring equipment for maintenance Maintenance of precision machine tools Card 5/13	134 135 135 135

Handbook for Mechanics of Machinery (Cont.) SOV/1359	
Maintenance of equipment in automatized production processes and production lines Modernization of equipment	135 136
Staff of the Chief Mechanic's Section (recommended) (Vladziyevskiy, A.P.,	
Doctor of Technical Sciences; Vaks, D.I., Engineer, Yakobson, M.O.,	137
Doctor of Technical Sciences)	138
Bureau of preventive maintenance (BPPR)	140
Designing and engineering bureau	140
Planning and production bureau Wages of maintenance workers (Borisov, Yu.S., Engineer)	141
Wages of maintenance workers (nortsov, 14.5.) augment	-,-
Standard piecework wages for mechanics engaged in maintenance of equipment	144
Calculating wages of workers according to the quantity and quality	
of output	147
Differential wage payment	147
Remunaration for work requiring different qualifications	147
Wages for overtime work	147
Overtime work cannot be compensated by compensatory leave	147
Remuneration for work performed on legal holidays	147
Work performed on the weekly day off	147
Remmeration of section leaders	148
Card 6/13	

Handbook for Mechanics of Machinery (Cont.) SOV/1359	
Ch. III. Operation and Maintenance Standards	149
Metal-cutting machine tools (Vladziyevskiy, A.P., Doctor of Technical	
Sciences; Vaks, D.I., Engineer; Yakobson, M.O., Doctor of Tech. Sciences)	149
Wood-working machine tools	204
Forging and pressing equipment	216
Founding equipment	228
Hoisting and transport equipment (cranes, electric hoists,	
monorail lorries)	241
Hydraulic equipment	246
Electrical equipment (Luk'yanov, T.P., Engineer)	249
Steam power equipment (Zobin, V.S., Engineer)	258
Ventilating installations	265
Labor content standards for equipment maintenance (Vladziyevskiy,	
A.P., Doctor of Tech. Sciences; Vaks, D.I., Engineer; Yakobson,	272
M.O., Doctor of Technical Sciences)	
Standards for servicing between maintenance periods	274 275
Standard downtime of equipment	2 75
Standards for the expenditure of materials necessary for	^
equipment maintenance	275
Standards for storing spare parts	299
Types of documentation based on the PPR (preventive maintenance)	
system (recommended)	30 5
Card 7/13	

Handbook for Mechanics of Machinery (Cont.) 80V/1359	
Ch. IV. Maintenance Bases (Plotkin, I.B., Engineer)	318
Make-up of the maintenance-engineering shop	318
Calculating basic proportions of maintenance bases	319
Determining the quantity of basic machine tools	322
Composition of the machine-tool stock	-
Labor composition	324
Technological characteristics of buildings and hoisting-transport equipment	326
	326
Arrangement and calculation of areas	327
Workshop for optional equipment	328
Pipe repair shop	329
Ch. V. Designing Preparatory to Maintenance Operations	
Counties on and documentation of Assertions	331
Compilation and documentation of drawings for replaceable parts of equipment (Shifrin, S.M., Engineer)	331
Extent of maintenance (Noskin, R.A., Candidate of Technical Sciences)	362
Stundards and specifications for basic machine parts and assemblies (Sum-shik, M.R., Engineer)	21
Numbering system for metal system and a	364
Numbering system for metal-cutting machine tools and their classification	
Basic standards permitting the mating of machine parts	364
Standardization of allowances and fits	390
Basic standards for gear transmission elements	39 5.
Basic standards for external marking of machine tools and machines	397
Card 8/13	

Selection of a bearing of the same type and size Selection of a bearing of a different type and size Fits for bearings mounted on shafts and between outer rings and housing Installation and adjustment of bearings Choice of packing devices for bearing assemblies Gear transmissions (Kedrinskiy V.N. Engineer) Spur gears Accepted symbols Basic information on meshing of spur gears Standard gearing Geometrical calculation of spur gears Correction of spur gears Identification of gearing elements of spur gear transmission Measuring tooth thickness	Handbook for Mechanics of Machinery (Cont.) SOV/1359	
Selection of a bearing of a different type and size Fits for bearings mounted on shafts and between outer rings and housing Installation and adjustment of bearings Choice of packing devices for bearing assemblies Gear transmissions (Kedrinskiy V.N. Engineer) Spur gears Accepted symbols Basic information on meshing of spur gears Standard gearing Geometrical calculation of spur gears Identification of gearing elements of spur gear transmission Measuring tooth thickness 420 421 423 424 425 426 427 426 427 427 428 428 429 420 420 421 421 422 423 424 425 426 427 427 428 428 429 420 420 421 422 423 424 425 426 427 427 428 428 429 420 420 421 422 423 424 425 426 427 427 428 428 429 420 420 421 422 423 424 425 426 427 427 428 428 428 429 420 420 421 422 423 424 425 426 427 426 427 427 428 428 428 429 429 420 420 421 422 423 424 425 426 427 426 427 427 428 428 428 429 429 420 420 420 421 422 423 424 425 426 426 427 427 428 428 429 429 420 420 420 421 422 423 423 424 425 425 426 427 426 427 427 428 428 429 429 429 429 420 420 421 422 423 423 424 425 425 426 427 428 428 428 429 429 429 429 429	Ball and roller bearings (Niberg, N.Ya., Candidate of Technical Sciences) 402
Fits for bearings mounted on shafts and between outer rings and housing Installation and adjustment of bearings Choice of packing devices for bearing assemblies Gear transmissions (Kedrinskiy V.N. Engineer) Spur gears Accepted symbols Basic information on meshing of spur gears Standard gearing Geometrical calculation of spur gears Identification of spur gears Identification of gearing elements of spur gear transmission Measuring tooth thickness 482		
housing Installation and adjustment of bearings Choice of packing devices for bearing assemblies Gear transmissions (Kedrinskiy V.N. Engineer) Spur gears Accepted symbols Basic information on meshing of spur gears Standard gearing Geometrical calculation of spur gears Identification of spur gears H470 Measuring tooth thickness 482 430 430 442 443 444 445 446 460 476 476 486		420
Installation and adjustment of bearings Choice of packing devices for bearing assemblies Gear transmissions (Kedrinskiy V.N. Engineer) Spur gears Accepted symbols Basic information on meshing of spur gears Standard gearing Geometrical calculation of spur gears Correction of spur gears Identification of gearing elements of spur gear transmission Measuring tooth thickness	Fits for bearings mounted on shafts and between outer rings and	
Choice of packing devices for bearing assemblies Gear transmissions (Kedrinskiy V.N. Engineer) Spur gears Accepted symbols Basic information on meshing of spur gears Standard gearing Geometrical calculation of spur gears Correction of spur gears Identification of gearing elements of spur gear transmission Measuring tooth thickness 438	housing	423
Gear transmissions (Kedrinskiy V.N. Engineer) Spur gears Accepted symbols Basic information on meshing of spur gears Standard gearing Geometrical calculation of spur gears Correction of spur gears Identification of gearing elements of spur gear transmission Measuring tooth thickness 482		430
Spur gears Accepted symbols Basic information on meshing of spur gears Standard gearing Geometrical calculation of spur gears Correction of spur gears Identification of gearing elements of spur gear transmission Measuring tooth thickness		438
Accepted symbols Basic information on meshing of spur gears Standard gearing Geometrical calculation of spur gears Correction of spur gears Identification of gearing elements of spur gear transmission Measuring tooth thickness 482	Gear transmissions (Kedrinskiy V.N. Engineer)	
Basic information on meshing of spur gears Standard gearing Geometrical calculation of spur gears Correction of spur gears Identification of gearing elements of spur gear transmission Measuring tooth thickness 482	Spur gears	1115
Standard gearing Geometrical calculation of spur gears Correction of spur gears Identification of gearing elements of spur gear transmission Measuring tooth thickness 482	Accepted symbols	442
Geometrical calculation of spur gears Correction of spur gears Identification of gearing elements of spur gear transmission Measuring tooth thickness 482	Basic information on meshing of spur gears	443
Correction of spur gears Identification of gearing elements of spur gear transmission Measuring tooth thickness 482	Standard gearing	449
Identification of gearing elements of spur gear transmission 476 Measuring tooth thickness 482	Geometrical calculation of spur gears	460
Measuring tooth thickness 482	Correction of spur gears	470
	Identification of gearing elements of spur gear transmission	476
	Measuring tooth thickness	482
	Bevel gears	486
	Accepted symbols	486
	Basic information on meshing of bevel gears	487
	Types of bevel gears	488
Correction of bevel gears 488	Correction of bevel gears	488

Handbook for Mechanics of Machinery (Cont.) SOV/1359	
Geometrical calculation of bevel gears Identification of gearing elements of bevel gear transmission Worm gears Accepted symbols Shape of profile and methods of machining worms and worm gears Geometrical calculation of worm gears Correction of worm gears Identification of elements of worm gear transmission Spiral gears Tolerances for elements of spur and worm gear transmissions Spur gear transmission Bevel gear transmission	488 499 514 514 517 521 523 527 528 536 539
Worm gear transmission Belt drives (Gleyzer, V.Ye. Engineer) Flat belt drives V-belt drive Belt joints Measures for improving the function of belts Installation of belts Care of belts Safety engineering Card 10/13	543 543 550 552 555 555 555 555

Pa:	sic materials used in maintaining and mode	ernizing equipment	55
(M	orozova, Ye.M., Engineer; Spivak, E.D., Casteel Cast steel	undidate of Technical Sciences)	556 556
	Cast iron Nonferrous metal alloys		579
Incre Reduc Moder Moder	Candidate of Technical Sciences; Kucher, nical Sciences) objectives of modernization asing speed, power, and rigidity of machination of support time and automatization mization of lathes and turret lathes mization of milling machines mization of other types of machine tools Drilling and boring machines Vertical lathes Planers	•	577 578 59 60 61 62 62 62 63

	Handbook for Mechanics of Machinery (Cont.) SOV/1359	
	Gear-cutting machines	
	Grinding machines	
	Hydraulic equipment and instruments used in modernizing machine tools	
•	(Barsukov, A.A., Engineer)	
	Controlling and regulating hydraulic equipment	
	Manual, mechanical, and remote control of hydraulic equipment	
	Hydraulic panel control	
	Calculations for machine tools undergoing modernization	
	(Kaminskaya, V.V. Candidate of Technical Sciences; Levina, Z.M.,	
	Engineer)	
	General aspects	
	Calculations based on comparison	
	Checking calculations	
	Calculation example	
	Ch. VII. Safety Engineering and Industrial Hygiene	
	Safety engineering during repair work (Borisov, Yu.S., Engineer)	
	Organization of accident prevention in plants	
	Safety measure directives	
	Safety engineering in operating electrical installations	
	(Luk'yanov, T.P., Engineer)	
	Classification of shop space based on their conditions	
	Card 12/13	

74: 74: 74: 74: ably jobs up to 74: 74: 74: 74: 74: 74:
74 74 74 74 74 11 engineering 74 74 74
pholy jobs up to 74 74 11 engineering 74 74 74
74 74 11 engineering 74 74 74
74 11 engineering 74 74 74
74 74 74
74 74
74
76
(0)
••
JG/fal

SHASHKIN, P., inzh.

New electric furnaces used in oil purifying units. Avt. transp. 36 no.12:20 D '58. (MIRA 11:12) (Electric furnaces) (Oil reclamation)

SHASHKIN, P. I., Cand Tech Sci -- (diss) "A contactless method of cementation by use of a solid carburizer." Saratov, 1960. 14 pp with diagrams; (Ministry of Higher Education USSR, Saratovskiy State Univ im N. G. Chernyshevskiy); 150 copies; free; (KL, 19-60, 136)

SHASHKIN, Prokhor Ivanovich, Prinimeli uchastiye: ZILLER, G.K.; BEREZHNAYA, V.D. LEVINA, Ye.S., vedushchiy red.; POLOSINA, A.S., tekhn.red.

[Reclamation of spent petroleum oils] Regeneratsiia otrabotannykh neftienykh masel. Moskva, Gos.nauchno-tekhn.izd-vo neft. i gorno-toplivnoi lit-ry, 1960. 303 p. (MIRA 13:11) (Oil reclamation)

SHASHKIN, P.I., inzh.; BRAY, I.V., inzh.; KISELEV, A.A., inzh.; MASLENKOVSKIY, L.G., inzh.

Unit for regenerating the wash liquid. Vest.mash. 41 nc.7275-76 J1 161. (Cleaning compounds)

SHASHKIN, P.I.; BRAY, I.V.; KISELEV, A.A.

RM-100 oil reclaiming unit. Nefteper. i neftekhim. no.8:22-27 '63. (MIRA 17:8)

1. Vsesoyuznaya kontora po regeneratsii otrabotannykh neftyanykh masel.

SHASHKIN, S.V.

PHASE I BOOK EXPLOITATION

318

Demichev, Aleksey Dmitriyevich and Shashkin, Semen Vasil'yevich

Vysokochastotnaya zakalka (High-frequency Case Hardening) 2nd ed., rev. and enl. Moscow, Mashgiz, 1957. 52 p. (Bibliotechka vysokochastotnika-termista. Vyp. 3) 10,000 copies printed.

Ed.: (Title page): Fogel', A.A., Candidate of Tech. Sciences; Reviewer: Donskoy, A.V., Dr. of Tech. Sciences, Prof.; Ed. of Publishing House: Gofman, Ye. K.; Tech. Ed.: Speranskaya, O.V.; Editorial board of series: Fogel', A.A., Candidate of Tech. Sciences (Chairman); Spitsyn, M.A., Candidate of Tech. Sciences, Slukhotskiy, A.Ye., Candidate of Tech. Sciences, Glukhanov, N.P., Candidate of Tech. Sciences (Ed. of this issue); and Baumner, A.V., Engineer. Chief Ed. of the Leningrad Division of Mashgiz: Bol'shakov, S.A., Engineer.

PURPOSE: This booklet is one of a series published for the purpose of promoting high-frequency case hardening/pooling advanced production "know-how". It is intended for a large circle of industrial workers interested in the techniques of high-frequency case hardening.

COVERAGE: The authors give general descriptions of high-frequency devices for induction case hardening of steel and cast-iron products. They discuss the problem of selecting proper frequencies to be used in case hardening of

Card 1/2

CIA-RDP86-00513R001548630005-9"

APPROVED FOR RELEASE: 08/23/2000

	High-frequency Case Hardening (Cont.) various surfaces of various shapes. There are 11 references,	
•	TABLE OF CONVENTS	Page
•	Introduction	3
		5
	1. Case-hardening Methods	8
	2. Selection of Frequency	18
	3. Methods of High-frequency Case Hardening Method of induction hardening	18
	Method of continuous induction hardening	33
	Hardening of complex shapes by a two-frequency method	47
	AVAILABLE: Library of Congress LS/ksv May 23,	1958
	Card 2/2	

DEMICHEV, A.D.; GOLOVIN, G.F.; SHASHKIN, S.V.; DONSKOY, A.V., doktor tekhn. nauk prof., retsenzent; FOGEL', A.A., kand. tekhn. nauk, red.

[High-frequency hardening] Vysokochastotnaia zakalka. Izd.3., ispr. i dop. Pod red. A.A.Fogelia. Moskva, Mashinostroenie, 1965. 83 p. (MIRA 18;12)

- 1. SHASHKIN, S. G., Eng. KATS, N.V.
- 2. USSR (600)
- 4. Machine Tools Maintenance and Repair
- 7. Establishing a mtandard system for planned, periodic repairs. Vest mash No. 1 1953

9. Monthly List of Russian Accessions, Library of Congress, April 1953, Uncl.

SHASHKIN, S.V., inshener

Theory and method of constructing locomotive turnover graphs having 168 and 336 hour grids. Trudy Khab. IIT no.8:28-40 '55.

(Railroads--Management) (MLRA 9:1)

SHASHKIN, V.L.

Source of material forming sedimentary deposits. Trudy Inst. geol.KirFan SSSR no.5:117-122 '54. (MLRA 9:12)

(Ore deposits)

SHASKIN, V.L.

Control of geological specimen analyses according to group specimens.

Razved. i okh.nedr. 21 no.4:21-26 Jl-Ag *55. (MLRA 9:2)

(Ores--Sampling and estimation)

15-57-1-953

Translation from: Referativnyy zhurnal, Geologiya, 1957, Nr 1,

p 152 (USSR)

AUTHOR: Shash

Shashkin, V. L.

TITLE:

Controlled Sampling and Controlled Analyses of Geologic Samples (O kontrol'nom oprobovanii i kontrol'nykh analizakh geologicheskikh prob)

PERIODICAL:

Tr. In-ta geol. AN KirgSSR, 1956, Nr 7, pp 111-124.

ABSTRACT:

The author points out that in the literature it is not easy to detect the difference between controlled sampling and controlled analyses of samples. He concludes that it is necessary to introduce compulsory controlled sampling during exploration for nonferrous and rare metals and to include special requirements for controlled sampling in the actual instructions for VKZ / Vsesoyuznaya komissiya po zapasama polezhykh iskopayemykh (All-Union Commission of Mineral Resources) 7.

Considering the questions of the representative character of sampling, N. V. Baryshev Tochnost'

Card 1/3

15-57-1-953

CANADA SE COMPANIA DE LA COMPANIA DE

Controlled Sampling and Controlled Analyses (Cont.)


analyza prob, ispol'zuyemykh dlya podscheta zapasov. Materialy VKZ, Vyp. I, Gosgeolizdat, 1948 (The Precision of Analyzing Samples Used for Calculating Reserves). Data from VKZ, Nr 1, State Geological Literature Press, 19487 with complete justification proposed that the requirements for the precision of analysis be determined on the basis of a linear relationship for the degree to which the samples are representative. However, this proposal, in its time, reflected neither the methods of sampling nor the instructions for VKZ. Permissible accidental errors in analyses, listed in the instructions for VKZ, consider only analytical possibilities and do not consider at all the representative nature of the sampling in reference to different determinations of mineralization. It follows that standards for permissible average accidental error in the analyses of samples, associated with the degree to which the samples are representative, should be treated and included in the instructions for the VKZ. This error is characterized by the average divergence between basic and controlled sampling. Such established standards permit one to make wider use of the simplified methods of sampling and of analyzing samples. Card 2/3

15-57-1-953

Controlled Sampling and Controlled Analyses (Cont.)

By considering the representative character of samples, one might admit the use of simplified methods of sample selection which increase accidental errors but do not admit systematic errors. The selection of methods for treating results of controls leads the author to conclude that the views of I. P. Sharapov (Razvedka i okhrana nedr, 1954, Nr 1), B. Ya. Yufa (Razvedka i okhrana nedr, 1951, Nr 6), and N. V. Baryshev (Kontrol' oprobovaniya. Materialy VKZ, Vyp. 2, Gosgeolizdat, 1948) on the statistical methods of showing systematic errors involve a number of fundamental failings and that the use of such methods cannot be recommended. The author believes it most expedient to prepare group controls, which may be used both for internal and lateral controls. He describes the techniques of selecting group controls, the method of treating the results of the controls, and the advantages of the recommended method.

A. P. P.



Handbook on Radiometry for Geophysicists and Geologists 785

The book surveys the radioactive elements and gives their essential characteristics. Terminology and units are defined and theories of radioactivity explained. Material on apparatus and applied prospecting is limited to about 50 pages. Of particular interest is Chapter VI, dealing with the problem of determining the geological age of any given formation by radioactive methods. There are 95 tables, 21 figures, 122 Soviet references and 54 English, 4 German, and 1 French reference.

TABLE OF CONTENTS:

Handl	book	on Radiometry for Geophysicists and Geologists 785	
3	a) b c d) c d) c d) b c d) c d) c d) e)	Radioactive units Radon concentration units Units of alpha radiation Units of gamma radiation adioactive standards Quantity standards for radioactive elements Concentration standards Radiation standards Standards for gamma radiation isintegration and accumulation of radioactive elements Radioactive decay law Computing the number of radioactive atoms in a series Radioactive equilibrium Tables of disintegration and accumulation of radioactive elements Tables of theoretical normal curves of alpha disintegration indicating the concentration of radon in the air and given for various time periods of exposition (of the activated wire) and in number of atoms settled upon the	27 27 27 28 28 29 30 31 32

Handbook on Radiometry for Geophysicists and Geologists 785	
wire per time unit 5. Properties of radioactive emanation (thoron, radon, actinon) a) Physical properties of emanations b) Ionizing effect of the alpha radiation of radon c) Emanation	70 74 74 77 77
Ch. II. Radioactive Radiation 1. Alpha radiation a) Number of alpha particles emitted by various elements b) Track length of alpha particle c) Alpha particle spectrum d) Stopping power e) Dependence of length of path through gaseous media on	81 81 81 82 82
pressure and temperature f) Tonization effect of alpha particles	85 89
g) Theoretical dependence of total and specific ionization on the last portion of the path of the particle 2. Beta radiation a) Beta-ray spectrum b) Beta-ray path c) Processes of beta absorption Card 4/9	89 92 92 93

Handbook on Radiometry for Geophysicists and Geologists 785 d) Mass absorption coefficients for beta rays for UX1 + UX2 and RaE e) Changes in spectral composition of beta radiation when passing through a filter medium f) Relative maximum ionization values by beta rays of some radioactive elements according to the atomic number of the base layer g) Uranium beta-ray equivalent of thorium h) Some constants of beta radiation of natural radioactive elements 3. Gamma radiation a) Factors describing the gamma radiation b) Passage of gamma rays through matter c) Klein-Nishina-Tamm formula d) Table of coefficients of gamma attenuation for a number of elements, according to Davidson and Evans e) Gamma-ray attenuation by certain materials (with wide beams) f) Mass attenuation coefficients of gamma rays for certain	9 ⁴ 95 97 97 98 100 100 101 102 111
f) Mass attenuation coefficients of gamma rays for certain materials Card 5/9	111

Handbook on Radiometry for Geophysicists and Geologists 785	
g) Correction for self-absorption in large sources of gamma rays h) Spectral composition of gamma radiation of radioactive elements i) Some gamma-radiation constants 4. Recoil rays	112 114 117 118
Ch. III. Radioactivity Prospecting Equipment a) Basic types of electrical prospecting apparatus b) Essential specifications of radioactivity counters c) Features of field gamma and beta radiation meters d) Field radiation meters e) Gamma-ray logging apparatus f) Radioactivity counters used in laboratories	120 121 122 124 126 132 134
Ch. IV. Radiometric Methods 1. Radiometric methods under field conditions a) Apparatus for radioactivity detection in the presence of gamma rays	136 136
Card 6/9	

Handbook on Radiometry for Geophysicists and Geologists	785
b) Radiometric assaying c) Beta-ray detection d) Standardization of gamma radiometers e) Adjustment of radiometric instruments 2. Radiometric methods in laboratory conditions a) Alpha method b) Beta method c) Gama method d) Complex beta-gamma method e) Emanation methods f) Automatic radioactivity recorder g) Characteristics of the radiometric methods h) Corrections for errors in impulse counting when measuring high-intensity radiation 1) Estimation of accuracy in measurement	138 140 141 142 143 144 144 145 146 147
Ch. V. Radioactivity of the Earth's Crust 1. Distribution of radioactive elements in nature	155
Card 7/9	

Handbook on Radiometry for Geophysicists and Geologists 785	
 Radioactivity of rocks Radioactivity in water and sediments Radioactivity in the atmosphere Radiogenic heat (thermal energy) 	158 161 163 163
 Radiogenic heat (thermal energy) Nuclear properties of the main typical elements in sedimentary formations 	166
Ch. VI. Determination of Geological Age (Absolute Chronology) by Radioactive Methods a) Plumbum method b) Helium method c) Argon method d) Strontium method e) Radium, ionium and radiocarbon age; methods of determin-	
e) Radium, ionium and radiocarbon age; methods of determining ing the chronology of recent geological formations f) Carbon age g) Geochronological tables	173 175 176

Card 8/9

Ch. VII. Instructions on Handling Jobs Involving Radio- activity Blements	
a) Protection from radioactive radiation b) Hazards to health under field conditions	177 178
Ch. VIII. General Information 1. Mathematical tables	
 a) Exponential, hyperbolic, and trigonometric functions b) Exponential integral and King function c) Poisson function and its values 2. Information on cosmic rays 	179 184 185 186
Bibliography	190
AVAILABLE: Library of Congress	
MM/wh1	

Card 9/9

SHASHKIN, V.L.

AUTHOR:

PA - 2052 ŠAŠKIN, V.L.

TITLE:

Quantitative Radiometric Measurements of Radioactive Ores in

their Natural Deposits.

PERIODICAL:

Atomnaia Energiia, 1957, Vol 2, Nr 1, pp 48-53 (U.S.S.R.)

Received: 3 / 1957

Reviewed: 3 / 1957

ABSTRACT:

Report 1: The measurement of the f -radiation of radioactive ores in their natural deposits, i.e. immediately when working in the mine drift or in a fissure allows the determination of the percentage of radioactive elements of the ores without the selection of samples and without a chemical analysis. The preciseness of such qualitative measurements depends to a great extent on considering the spectral composition of the f -radiation to be investigated. The spectrum of the franchischer -rays of the radioactive ores is determined by the scattering of radiation and depends on the composition of the ore. The intensity, however, of the recorded f -radiation of the ore deposit depends on the material of the cathode of the counter (tungsten, copper, graphite), since the counters have a different spectral sensitivity. The ratio of the intensities measured with Geiger counters with different cathodes allows the characterization of the spectral composition of the f -radiation of the ore. In order to express the results in general units (microrcentgen per hour) the radiometers are gauged with a punctiform gauge, the method of gauging,

Card 1/2

PA - 2052

Quantitative Radiometric Measurements of Radioactive Ores in their Natural Deposits.

however, does not exclude a dependence of the data of the radiometers on the spectral sensitivity of the counter. This paper determines important conversion coefficients which connect the intensity of the # -radiation with the percentage of radioactive elements in the ore. These coefficients are shown in a table and apply in the case of measurements on the surface of ore deposits and in the fissure. In the case of measurements in fissure the ? -rays of low energy scattered backwards are of great importance. With the aid of these coefficients the percentage of radioactive elements in the ore is calculated by the data of the counting devices. Experimental and theoretical investigations lead to the following conclusions which are important for practical measurements: In the case of counters that are sensitive to the soft & -radiation the dependence of the recorded intensity of T-radiation on the average number of the nuclear charge of the deposit, of the cathode material, and of the radiometer casing is to be taken into account. Furthermore, measuring of the hard to soft / -rays are expedient. Not given.

ASSOCIATION:

PRESENTED BY:

SUBMITTED:

AVAILABLE:

Library of Congress.

Card 2/2

AUTHOR:

SHASHKIN, V. L.

PA - 2260

TITLE:

The Quantitative Radiometric Measuring of Radioactive Ore in Natural Deposits. II. Report. (Kolychestvennyyw radiometricheskiye izmereniya radioaktivnykh rud v yesteystvennom zaleganii. Soobshcheniye IX.

Russian).

PERIODICAL:

Atomnaia Energiia, 1957, Vol 2, Nr 2, pp 157-162 (U.S.S.R.)

Received: 3 / 1957 Reviewed: 5 / 1957

ABSTRACT:

The present work discusses the method of the radiometric examination of radioactive ores from their gamma radiation and the method of quantitative interpretations of the results of γ -carottage of ore fissures.

Radiometric investigation: The radioactivity of uranium—and thorium ores facilitates a direct determination of their uranium—and thorium content without extraction of ore samples. This method basing upon measuring the intensity of gamma radiation was described as radiometric examination. At first a formula for the connection between the intensity of γ -radiation on the surface of an infinite layer and the content of radioactive elements in this layer is given. According to this formula the content of radioactive elements in the case of constant attenuation coefficients is proportional to the intensity of γ -radiation. Theoretical bases of the method are discussed in short.

In practice, the go-called fissure screen fitted with an enclosure is mostly used. In the case of an even distribution of the ores and if the

Card 1/2

PA - 2260

The Quantitative Radiometric Measuring of Radioactive Ore in Natural Deposits. II. Report.

screening coefficient is known from the differences of the intensity of

\[\int \text{-radiation} \] in the case of open and closed fissures the content of
radioactive elements in the given layer can be determined. Next,
measuring in the case of an uneven distribution of ores is discussed.
Radiometric examination is carried out with different types of field
radiometers. The results of radiometric examinations are as a le controlled by means of ridge examination. The quantitative in terpretation
of \[\int \text{-carottage permits the determination of the linear supply of
radioactive elements in the fissure (pit?), i.e. the productive power
of the ore body plus content. In the case of an insufficient field of
the core, gamma-carrotage is the only method that permits a quantitative characterization of the fissure (pit) covered by the ore body.
The quantitative interpretation of \[\int \text{-carottage bases upon the use }
of the anomaly-surface. Details are discussed here. (3 illustrations
and 2 tables).

ASSOCIATION: Not given

PRESENTED BY:

Submitted:

10.7.1956

AVAILABLE:

Library of Congress

Card 2/2

SHASHKIN, V.L.; SHUMILIN, I.P.

Radiometric method for determining the uranium content in ore samples.

Atom. energ. Supplement no.6:126-135 '57. (MIRA 11:7)

(Radiometer) (Uranium ores--Analysis)

SHASHKIN, .V.L.; SHUMILIN, I.P.; PRUTKINA, M.I.

Relation between \$\beta\$- and y_radiation of natural radioactive elements. Atom. energ. Supplement no.6:136-145 '57. (MIRA 11:7) (Radioactivity)

GRAMMAKOV, A.G.; SHASHKIN, V.L.; SHIRYAYEVA, M.B.; SURAZHSKIY, D.Ya., red.; NIKONOV, A.I., red.; KLEPTSOV, F.F., red.; VLASOVA, H.A., tekhn.red.

[Instructions on gamma-ray testing of radioactive ores in the ore bed] Rukovodstvo po gamma-oprobovaniiu radioaktivnykh rud v estestvennom zaleganii. Moskva, Izd-vo glav.upr. po ispol-zovaniiu atomnoi energii pri Sovete Ministrov SSSR, 1959.

56 p. (MIRA 13:2)

(Radioactivity-Measurements)
(Ores--Sampling and estimation)

MEZHIBORSKAYA, Kh.B.; SHASHKIN, V.L.; SHUMILIN, I.P.; PCHELINTSKVA, G.M., red.; VLASOVA, N.A., tekhn.red.

[Analysis of radioactive ores by the \$\beta\$ and \$\gamma\$ method] Analiz radio-aktivnykh rud \$\beta^-\text{metodom.}\$ Moskva, Izd-vo Glav.uprav.po ispol'-zovaniju atomnoj energij pri Sovete Ministrov SSSR, 1960. 63 p.

(MIRA 13:10)

(Radioactive substances) (Beta rays) (Gamma rays)

YAKUBOVICH, Aleksandr Lazarevich; SHASHKIN, V.L., retsenzent; YERNMEYEV, A.N., red.; MUKHIN, S.S., red.izd-va; GUROVA, O.A., tekhn.red.

[Radiometric prospecting apparatus] Poiskovo-razvedochneia radiometrichaskaia apparatura. Moskva, Gos.nauchno-tekhn.
isd-vo lit-ry po geol. i okhrane nedr, 1960. 205 p.
(MIRA 14:4)

(Radioactivity prospecting--Equipment and supplies)

PETROV, G.I.; KUTENKOV, M.V.; TENENBAUM, I.M.; TEVSEYEVA, L.S.;

KONSTANTINOV, M.M., nsuchnyy red. [deceased]; SHASHKIN, V.L.,

nsuchnyy red.; SURAZHSKIY, D.Ya., nsuchnyy red.; ZAVODCHIKOVA,

A.I., red.; MAZEL', Ye.I., tekhn.red.

[Methods of geological and geophysical exploration and control in uranium mines] Metody geologo-geofizicheskogo obsluzhivaniia uranovykh rudnikov. Moskva, Izd-vo Gos.kom-ta Soveta Ministrov SSSR po ispol*zovaniiu atomnoi energii, 1960. 217 p.

(MIRA 13:10)

(Mining goology)

(Uranium ores)

SURAZHSKIY, Daniil Yakovlevich. Prinimali uchastiye: PUKHAL'SKIY, L.Ch.;
POSIK, L.N.; SHASHKIN, V.L., SMIRNOV, V.I., red.; ALYAB'YEV, A.F.,
red.; POPOVA, S.M., tekhn.red.

[Methods of prospecting and exploration of uranium deposits]
Metody poiskov i razvedki mestorozhdenii urana. Pod red. V.I.
Smirnova. Moskva, Izd-vo glav.upr.po ispol'zovaniiu atomnoi
energii pri Sovete Ministrov SSSR, 1960. 240 p.

(MIRA 13:7)

1. Chlen-korrespondent AN SSSR (for Smirnov).
(Prospecting) (Uranium ores)

SHASHKIN, V.L.

New instrument, theberyllometer. Atom.energ. 9 no.4:340-341
0 '60.

(Beryllium)

(Beryllium)

SHASHKIN, Viktor Lavrent'yevich; KOKOSOV, L.V., red.; MAZEL', Ye.I., tekhn. red.

[Methods for the analysis of natural radioactive elements] Metody analiza estestvennykh radioaktivnykh elementov. Moskva, Gos. izd-vo lit-ry v oblasti atomnoi nauki i tekhniki, 1961. 149 p.

(MIRA 14:11)

(Radioactive substances)

LEBEDEV, A.M.; TROITSKIY S.G.; SHASHKIN, V.L.

Scale factor for the quantitative interpretation of gamma-ray logging. Atom.energ. 10 no.4:394-396 Ap '61. (MIRA 14:4) (Logging (Geology)) (Gamma rays)

36782 \$/089/62/012/005/014/014 B102/B104

21.6000

AUTHORS:

Lenin, S. S., Shashkina, N. N., Shashkin, V. L.

TITLE:

Use of α -scintillation chambers in the emanation method of

radium isotope determination

PERIODICAL: Atomnaya energiya, v. 12, no. 5, 1962, 429-431

TEXT: Emanation measurements were made with α -scintillation chambers recently devised specifically for field measurements $\begin{bmatrix} 3M-6 & (EL-6) \end{bmatrix}$ and for laboratory use (EAL-1). The chambers are cylindrical and their inner surface is covered with a ZnS coating of 50 - 100 mg/cm². The measurements were made with four chambers, 68 mm in diameter and 60,

100, 150, and 250 mm high respectively. The sensitivity was

 $(3-4)\cdot 10^{-13}$ Cu/pulse·min, the α -radiation utilization factor was 50%, the total utilization factor was between 11.3 and 18.5%. The former was equal for RaA and RaC! within limits of 10%. The experiments showed that all Rn decay products were deposited at the chamber walls, whereas the Rn was evenly distributed over the volume of the chamber. The background

Card 1/2

Use of a-scintillation chambers ...

S/089/62/012/005/014/014 B102/B104

amounted to about 1pulse/min. The sensitivities for Th determination were measured at optimal air-jet flow rates (0.15 - 0.38 l/min) and were $(1.1 - 1.8) \cdot 10^{-5}$ g Tn/pulse·min. The chambers can also be used for actinone determination by determining AcX. For these measurements the optimal air flow rate is 2 - 4 l/min. There are 1 figure and 2 tables.

SUBMITTED: February 12, 1960

Card 2/2

SHASHKIN, V.L., red.; ZASTAVENKO, V.S., red.; BORISOVSKAYA, M.A., red.; POPOVA, S.M., tekhn. red.

[Radiometry of ores] Voprosy rudnoi radiometrii; sbornik statei.
Moskva, Gosatomizdat, 1962. 214 p. (MIRA 15:7)
(Radioactive substances—Spectra)
(Radioactive prospecting)

TROITSKIY, S.G.; SHASHKIN, V.L.; BYKOVA, K.I.

Instrument spectra of γ^{\prime} -radiation from infinite strata of uranium ore. Atom. energ. 12 no.1:67-70 Ja '62. (KIRA 15:1) (Gamma rays--Spectra) (Uranium)

TROITSKIY, S.G.; SHASHKIN, V.L.; BYKOVA, K.I.

Possibility for separate determination of uranium and thorium on measurements of Y-ray spectra from ores occurring naturally.

Atom. energ. 12 no.1:70-72 Ja '62. (MIRA 15:1)

(Gamma rays--Spectra) (Uranium) (Thorium)

LENIN, S.S.; SHASHKINA, N.N.; SHASHKIN, V.L.

Use of —scintillation chambers in determining radium isotopes
by the emanation method. Atom. energ. 12 no.5:429-431 My
162. (MIRA 15:5)
(Scintillation counters) (Radium—Isotopes)

TROITSKIY, S.G.; SHASHKIN, V.L.

Concerning the report by L.S. Polak and others "Studying the spectrum of gamma-ray scattering for solving some geophysical problems." Geol. i geofiz. no.7:107-108 '62.

(MIRA 16:7)

(Rocks-Density)
(Gamma-ray spectrometry)
(Polak, L.S.)

EHASHKIN, Yu. A.. Cand Phys-Math Sci -- (diss) "Substitute of the Minity and Stability of the potential's reversible problem."

Mos. 1957. 22 pp. (Acad Sci USSR, Math Inst im A. A. Steklov),

130 copies. Bibliogr at end of text (10 titles). (KL 9-58, 113)

- 12 -

SHADHAIN, Your

•	20-1-16/54
AUTHOR:	Shashkin, Yu.A.
TITLE:	On the Uniqueness in the Inverse Problem of the Potential Theory (O yedinstvennosti v ebratnoy zadache teorii potentsiala)
PERIODCIAL:	Doklady Akademii Nauk SSSR, 1957, Vol.115, Nr 1, pp. 64 - 66 (USSR)
ABSTRACT:	First reference is made to relevant preliminary works. This paper furnishes new sufficient conditions for the uniqueness of the solution of the inverse problem of the logarithmic potential. Three theorems are given: Theorem 1: When the boundaries C_1 and C_2 of two different convex domains D_1 and D_2 lie in the circular ring $R \le x^2 + y \le 2R$ (where R is any positive number), the outer logarithmic potentials of these domains cannot be exactly identical, when these domains are filled with masses with any positive density $\mu(x, y)$. Theorem 2: The boundary of two different domains starlike with regard to the pole 0 , may in the polar coordinate system (r, φ) have the equations $r = r_1(\varphi)$ $(i = 1, 2)$, where
Card 1/2	$ \log Y_i(g_1) - \log Y_i(g_2) \leq K g_1 - g_2 $. In this con-

的现在分词 经工程的 经工程的 经工程的 医克里特氏征 医克里氏征 医克里特氏征 医克里特氏征 医克里特氏征 医克里特氏征 医克里特氏征 医克里特氏征 医克里特氏征 医克里氏征 医克里氏征

20-1-16/54

On the Uniqueness in the Inverse Problem of the Petential Theory

nection K = tg(π /8) = 0,4142 applies. Then the outer petentials of these domains in the case of any positive densities cannot be identical. The third theorem furnishes a condition for the uniqueness of the solution of the inverse potential problem in the non-starlike classes of domains. Of especial importance in this connection is the case that the mass is distributed with uniform density. The proofs of these theorems follow. Finally the following theorem is given: When the values of the potential $V_1(x,y)$ and $V_2(x,y)$ of two domains of the class $\{D\}$ in the case of y=0 differ less than $O(\mathcal{E})$ for any $\mathcal{E}>0$ such a $O(\mathcal{E})>0$ exists, that the domains are distant less than \mathcal{E} . There are no figures, 5 Slavic references.

ASSOCIATION:

Mathematical Instituteimeni V. A. Steklov, AN SSSR (Matematicheskiy institut im. V.A. Steklova Akademii nauk SSSR)

PRESENTED BY:

M.A. Lavrent'yev, Academician, January 15, 1957

SUBMITTED:

January 11, 1957

AVAILABLE:

Library of Congress

Card 2/2

AUTHOR:

SHASHKIN, Yu.A.

20-118-1-12/58

TITLE:

On the Question of the Inverse Problem of Potential Theory

(K voprosu ob obratnow zadache teorii potentsiala)

PERIODICAL:

Doklady Akademii Nauk/1958, Vol 118, Nr 1,pp 45-46 (USSR)

ABSTRACT:

Theorem: The domains D₁ and D₂ which are star-shaped with regard to the pole O are assumed to be filled with media of constant density μ_1 and μ_2 with $\mu_1 > \mu_2 > 0$. If here the the exterior potentials of the domains are identically equal,

then it is D₁CD₂.

Theorem: Let D_1 be a plane, simply connected domain limited by an analytic curve. Under filling with mass of the density $\mu_1(x,y) > 0$ D_1 is assumed to possess the exterior potential V. Then there exists a domain G $(D_1 \subset G)$ with the property that each simply connected domain $D_2 \subset G$ possessing for a density $\mu_2(x,y) < \mu_1(x,y)$ the same exterior potential V satisfies the relation $D_1 \subset D_2$. 3 Soviet references are quoted.

Card 1/2

On the Question of the Inverse Problem of Potential Theory 20-118-1-12/58

ASSOCIATION: Matematicheskiy institut imeni V.A. Steklova Akademii nauk

SSSR (Mathematical Institute imeni V.A. Steklov, Academy of

Sciences USSR)

June 27, 1957, by S.L. Sobolev, Academician PRESENTED:

SUBMITTED: June 25, 1957

Library of Congress AVAILABLE:

Card 2/2

EOLTYAL	ShashKiki, 10 14.
	H-regular imbeddings and their application to the theory of approximation of functions. Usp. sat. nauk 15 so. d:125-132 H-D 160. (LERA 14:2)
	(Topology)
-	

SHASHKIN, Yu.A.

Korovkin's systems in spaces of continuous functions. Izv.AN
SSSR.Ser.mat. 26 no.4:495-512 Jl-Ag '62. (MIRA 15:8)
(Banach spaces) (Functions, Continuous)

SHASHKIN, Yu.A.

On k-regular imbeddings of graphs into Euclidean spaces. Usp. mat. nauk 18 no.4:195-199 Jl-Ag '63. (MIRA 16:9)

SHASHKIN, Yu.A.

Note on adjacent vertices of a convex polyhedron. Usp. mat. nauk 18 no.5:209-211 S-0 '63. (MIRA 16:12)

ACCESSION NR: AP4014374

s/0039/64/063/002/0215/0226

AUTHOR: Shashkin, Yu. A. (Sverdlovsk)

TITLE: Uniqueness and stability theorems for the inverse problem of the logarithmic potential

SOURGE: Matem. sbornik, v. 63, no. 2, 1964, 215-226

TOPIC TAGS: uniqueness, stability, inverse problem, logarithmic potential, attraction, star shaped region, distribution density, positive summable function, compact metric space

ABSTRACT: By inverse problem of the potential the author means the problem of determining the form of an attracting body in view of given values for its exterior potential under the condition that the density of the distribution of the masses is known. He proves uniqueness of the solution of the inverse problem of the logarithmic potential in a subclass of the class of star-shaped (or generally star-shaped) regions under the assumption that the density of the distribution of the masses is an arbitrary summable function. He also proves uniqueness in the case of doubly-connected regions in the plane. However, this latter theorem does not define the class of doubly-connected regions in which the solution of the inverse

Card 1/2

ACCESSION NR: AP4014374

problem is unique; it only asserts that two such regions coincide if their potentials coincide, and under a certain restriction on their relative position. The solution of this problem is said to be stable in some class of bodies if to infinitely small variations of the exterior potentials of bodies or this class correspond infinitely small variations of the bodies. A. N. Tikhonov (Ob ustoychivosti obratny*kh zadach, DAN SSSR, t. 39, No. 5 (1943), 195-198) noted that stability occurs in any compact class of uniqueness. This is a direct result of a known topological theorem: a one-to-one and continuous mapping of a compact metric? space is a homeomorphism. Along with qualitative criteria for stability, the author is interested in numerical estimates expressing the deviation of two bodies via the difference of their exterior potentials. He gives such an estimate for the case of the logarithmic potential. "Theorems 1 and 3 of this work (with another value for the constant K) are contained in the author's doctoral dissertation completed under the guidance of P. S. Novikov and written in 1958. The author thanks P. S. Novikov for his attention to this work and his valuable advice and comments." Orig. art. has: 23 formulas and 1 diagram.

ASSOCIATION: none

SUBMITTED: 03May62

DATE ACQ: O5Mar64

ENCL: 00

SUB CODE: MM

NO REF SOV: 013

OTHER: 001

Card 2/2

SHASHKIN, Yu.A.

Topological properties of sets related to the theory of approximation of functions. Izv. AN SSSR. Ser. mat. 29 no.5:1085-1094 '65.

(MIRA 18:10)

SHASHKIN, Yu.A.

Finitely defined linear operators in spaces of continuous functions. Usp. mat. nauk 20 no.6:175-180 N-D '65.

(MIRA 18:12)

	EWT(4)/T/EWP(1P6016076			
	Shashkin, Yu. A.	Source Con	B: UR/0038/65/029/005	/1085/1094
TITLE: T	opological propert	ies of sets associated with	the theory of approxi	mation
polynomia ABSTRACT: fo(x), propert	Definition:	a. Seriya matematicheskaya oximation, continuous funct Consider a system of x) on a compact metric trary distinct points a	ion, mathematic matrix continuous functio	ons
	(4	$\begin{array}{cccccccccccccccccccccccccccccccccccc$		
	. For any cont	tinuous (on X) function sary and sufficient four in for figure 1		7
Card 1/2			UDC: 513.83	2

no great then sai topologi of funct orders o connecte 9 formula	ical pricions of Koro	opert f a g bkin inua	nebys les o lven (sio)	nev rar f polyh Chebysh system	iedi Iedi Iedi	r. a on rank or o	The whice and	author the compu	or s ere etes	tudio exist the	s s sin	the stems imal	0
SUB CODE:	12 /	SUBM	DATE:	15Nov64	1	ÓRIG	REF:	011	/ 0	TH RE	F:	010	
										- e			
												•	·
		1, 4									•		

L 38347-66 EWT(d)/T IJP(c) ACC NR: AP6027982 SOURCE CODE: BU/0011/66/019	
AUTHOR: Shashkin, Yu. A. (Sverdlovsk)	9/001/0005/0007
ORG: none	B
TITIE: Best approximation by rational functions	
SOURCE: Bulgarska akademiya na naukite. Doklady, v. 19, no. 1, 1966,	5-7
OPIC TAGS: approximation method, continuous function	
The author shows what the properties of a bicompact are in the case when for each function $\varphi(x)$ which is continuous that it the rational function closest to $\varphi(x)$ is unique (or when the number). The results are presented in the form of six theorems, the firm the requires an extensive proof. This paper was presented by Corresponder Ya. A. Tagamlitskiy on 24 September 1965. [JPRS: 36,845]	ous set
UB CODE: 12 / SUBM DATE: 24Sep65 / SOV REF: 003 / OTH REF: 00)5 .
	1697

VOL'FSON, I.S.; TELESHOVA, M.N. Prinimali uchastiye: SHEYKH-ALI, G.A.; KAMALOVA, R.K.; SHERGINA, E.G.; SHASHINA, A.D.

New oil field in the Tatar A.S.S.R. Khim. i tekh. topl. i masel 9 no.5:29-31 5 My 64 (MIRA 17:7)

1. Tatarskiy neftyanoy nauchno-issledovatel skiy institut.


SHASHKINA, A. V.

"Reduction Equilibrium of Magnesium Ferrites With Hydrogen."
Sub 19 Oct 51, Moscow Order of Lenin State U imeni M. V. Lomonosov.

Dissertations presented for science and engineering degrees in Moscow during 1951.

Cand. Chevnice Sci.

So: Sum. No. 480, 9 May 55



5(4) AUTHOR:

Shashkina, A.V.

SOV/55-58-5-22/34

TITLE:

Investigation of the Heduction and Elektroreduction of Some Organic Substances on an Pd-Electrode. I. Reduction and Electroreduction of Dimethylacetylenylcarbinol (Izucheniye protsessov vosstanovleniya i elektrovosstanovleniya nekotorykh organicheskikh veshchestv na Pd-elektrode.I. Vosstanovleniye i elektrovosstanovleniye dimetilatsetilenilkarbinola)

PERIODICAL:

Vestnik Moskovskogo universiteta, Seriya matematiki, mekhaniki, astronomii, fiziki, khimii , 1958, Nr 5, pp 135 - 144 (USSR)

ABSTRACT:

The author investigated the adsorption of dimethylacetylenyl-carbinol, its reduction and electroreduction on a Pd-electrode in acid and alkaline medium, and the influence of toxication of the electrode by atomic mercury, arsenic and cyan ions on the investigated processes. Under toxication of the electrode with Hg and As the reduction is discontinued in acid medium. Cyan ions in a small quantity activate the process in alkaline medium, however, they decelerate it for large quantities. The influence of these toxications on the electroreduction processes is similar. The corresponding opinions of N.I. Kobozev and V.V. Monblanova [Ref 9] are therefore not confirmed. On the other side it was stated that the investigated processes have the same

Card 1/2

19

Investigation of the Reduction and Electroreduction SOV/55-58-5-22/34 of Some Organic Substances on a Pd-Electrode. I. Reduction and Electroreduction of Dimethylacetylenylcarbinol

character as for application of Pt-electrodes (see A.I. Shlygin [Ref 1]).
There are 10 figures, and 9 references, 6 of which are Soviet, and 3 German.

ASSOCIATION: Kafedra fizicheskoy khimii (Chair of Physical Chemistry) SUBMITTED: October 4, 1957

Card 2/2

5.4600

5 (3) AUTHOR: 68050

SOV/55-59-3-18/32

Shashkina, A. V.

TITLE:

Investigation of the Processes of the Reduction and Electroreduction of Some Organic Substances on a Pd Electrode. III. Re-

duction and Electroreduction of Nitromethane \

PERIODICAL:

Vestnik Moskovskogo universiteta. Seriya matematiki, mekhaniki, astronomii, fiziki, khimii, 1959, Nr 3, pp 135 - 149 (USSR)

ABSTRACT:

The author investigated the adsorption of nitromethane on palladium, its reduction by sorbed hydrogen, and its electroreduction, as well as the influence exerted by the medium and the poisoning of the palladium electrode upon the reaction. The experiments were carried out in 0.1 N H₂SO₄ or 0.1 N KOH. The electrode consisted of palladium upon which palladium black had been deposited. The present paper gives a detailed description of the adsorption of nitromethane (Fig 1), its reduction by sorbed H in an acid and alkaline medium, as well as of the effect produced by doses of various strength of Hg and As in an acid medium and of cyanogen ions in an alkaline medium (Figs 2 - 5). Furthermore, the electroreduction of nitromethane

Card 1/3

68050 \$0**7/**55-59-3-18/32

Investigation of the Processes of the Reduction and Electroreduction of Some Organic Substances on a Pd Electrode. III. Reduction and Electroreduction of Nitromethane

(Fig 6) and the influence of Hg, As, and cyanogen ions upon the latter were potentiometrically investigated (Figs 7 - 10). The author obtained the following results: Nitromethane is adsorbed very quickly on the electrode. Within the first minute adsorption already amounts to 85% approximately in an acid, and 70% approximately in an alkaline medium. The nitro group is directed towards the electrode. During adsorption, there is electronic interaction between nitromethane and the electrode. The poisoning of the Pd electrode with small quantities of Hg, As, and cyanogen ions accelerates the reduction of nitromethane by sorbed H. The velocity of this reaction depends on the binding energy of the sorbed H and on the velocity of its diffusion toward the surface of the cathode. Nitromethane is reduced nearly solely by H with a low binding energy, and the latter is reduced by small additions of poison. The electroreduction of nitromethane develops very quickly in an acid medium, whereas it does not occur at all in an alkaline medium. In the electroreduction of nitromethane on a Pd electrode which contained sorbed H an

Card 2/3

68050

Investigation of the Processes of the Reduction and Electroreduction of Some Organic Substances on a Pd Electrode. III. Reduction and Electroreduction of Mitromethane

activation of this process was observed in an acid medium, which was gradually suppressed by increasing poisoning with Hg or As. In an acid medium electroreduction develops as a result of protonic or electronic reaction, in which case the latter predominates. Poisoning of the electrode by considerable quantities of Hg and As suppresses protonic reaction. Small quantities of cyanogen ions cause an electroreduction of nitromethane in an alkaline medium. The author mentions a paper by N. A. Izgaryshev and A. A. Petrova (Ref 2). There are 10 figures and 7 references, 1 of which is Soviet.

ASSOCIATION:

Kafedra fizicheskoy khimii (Chair of Physical Chemistry)

SUBMITTED:

October 4, 1957

Card 3/3

SHASHKINA, A.V.


Studying the reduction and electrolytic reduction of some organic substances on a Pd electrode. Fart 2: Reduction and electrolytic reduction of allyl alcohol. Vest.Mosk.un.Ser.mat., mekh., astron., fiz., khim. 14 no.1:121-133 '59. (MIRA 13:8)

1. Kafedra fizicheskoy khimii Moskovskogo universitata.

(Allyl alcohol)

(Reduction, Chemical)

(Reduction, Electrolytic)



SHASHKINA, A.V.; KULAKOVA, I.I. (Moskva)

Reduction and electrolytic reduction of organic substances on a Pd electrode. Part 1: Reduction and electrolytic reduction of acrolein. Zhur. fiz. khim. 35 no. 4:793-802 Ap '61. (MIRA 14:5)

1. Moskovskiy gosudarstvennyy universitet im. M.V. Lomonosova.

(Acrolein) (Reduction, Electrolytic)

KULAKOVA, I.I.; SHASHKINA, A.V.

Reduction and electroreduction of organic compounds of the Pd electrode. Part 3: Reduction and electrolytic reduction of methacrylic acid. Zhur.fiz.khim. 35 no.6:1198-1207 Je 161.

(MIRA 14:7)

1. Moskovskiy gosudarstvennyy universitet imeni M.V.Lomonosova.

(Methacrylic acid) (Electrochemistry)